

# Safety Data Sheet According to Regulation (EC) No 1907/2006

# **Carefree Stripper**

Revision: 2015-04-05 Version: 03.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Carefree Stripper

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses:

For professional use only.

AISE-P404 - Floor stripper. Manual process

AISE-P405 - Floor stripper. Semi-automatic process

Uses advised against: Uses other than those identified are not recommended

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### **Contact details**

Diversey Hygiene Sales Limited Jamestown Road, Finglas, Dublin 11, Ireland Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@sealedair.com

#### 1.4 Emergency telephone number

Tel: 01 8081808 (9am - 5pm Mon-Fri)

After hours: National Poisons Centre, Beaumont Hospital, Dublin 9

Tel: 01 8379964

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Regulation (EC) No 1272/2008.

Skin Corr. 1A (H314) STOT SE 3 (H335)

#### Classification in accordance with Directive 1999/45/EC and corresponding national legislation Indication of danger

C - Corrosive

#### Risk phrases:

R35 - Causes severe burns.

R37 - Irritating to respiratory system.

#### 2.2 Label elements



Signal word: Danger

Contains sodium hydroxide (Sodium Hydroxide), 2-aminoethanol (Ethanolamine).

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

### Precautionary statements:



P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Classification (1999/45/EC)	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)	C;R35		3-10
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) Aquatic Chronic 3 (H412)	Xn;R20/21/22 C;R34 Xi;R37		3-10
sodium cumenesulphonate	239-854-6	15763-76-5	01-2119489411-37	Eye Irrit. 2 (H319)	Xi;R36		1-3
2-butoxyethanol	203-905-0	111-76-2	01-2119475108-36	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	Xn;R20/21/22 Xi;R36/38		1-3
alkyl alcohol alkoxylate	Polymer*	196823-11-7	[4]	Eye Irrit. 2 (H319)	Xi;R36/38		1-3

<sup>\*</sup> Polymer.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006. [3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

#### SECTION 4: First aid measures

4.1 Description of first aid measures

**General Information:** Symptoms of intoxication may even occur after several hours. It is recommended to continue

medical observation for at least 48 hours after the incident. If breathing is irregular or stopped,

administer artificial respiration.

Inhalation Call a POISON CENTRE, doctor or physician if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before re-use. Immediately call a POISON

CENTRE, doctor or physician.

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, Eye contact:

if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest.

Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: May cause respiratory irritation.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of Ingestion:

oesophagus and stomach.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb onto dry sand or similar inert material. Ensure adequate ventilation.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

### SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
sodium hydroxide		2 mg/m <sup>3</sup>
2-aminoethanol	1 ppm 2.5 mg/m³	3 ppm 7.6 mg/m³
2-butoxyethanol	20 ppm 98 mg/m <sup>3</sup>	50 ppm 246 mg/m³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL** and PNEC values

**Human exposure** 

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	-	-
2-aminoethanol	-	-	-	3.75
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	-	13.4	-	3.2
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)

sodium hydroxide	2 %	=	No data available	=
2-aminoethanol	No data available	-	No data available	1
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	No data available	89	No data available	75
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	No data available	-
2-aminoethanol	No data available	-	No data available	0.24
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	No data available	44.5	No data available	38
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	3.3	3.3
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	246	663	-	98
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	2	2
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	123	426	-	49
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

#### **Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.085	0.0085	0.025	100
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	8.8	0.88	9.1	463
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.425	0.0425	0.035	0.025
sodium cumenesulphonate	No data available	No data available	No data available	No data available
2-butoxyethanol	34.6	3.46	3.13	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product.

Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

**Body protection:** Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 20

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

**Eye / face protection:**No special requirements under normal use conditions. **Hand protection:**Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber
Penetration time: >= 480 min
Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

**Body protection:**No special requirements under normal use conditions.
Respiratory protection:
No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Blue
Odour: Product specific
Odour threshold: Not applicable

**pH**: > 12 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hydroxide	> 990	Method not given	
2-aminoethanol	169-171	Method not given	1013
sodium cumenesulphonate	No data available		
2-butoxyethanol	168-172	Method not given	1013
alkyl alcohol alkoxylate	No data available		

Method / remark

Flash point (°C): Not applicable.

Sustained combustion: Not determined

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
2-aminoethanol	3.4	27
2-butoxyethanol	1.1	10.6

#### Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
2-aminoethanol	50	Method not given	20
sodium cumenesulphonate	No data available		
2-butoxyethanol	89	Method not given	20
alkyl alcohol alkoxylate	No data available		

Method / remark

Vapour density: Not determined Relative density: 1.07 g/cm³ (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20
2-aminoethanol	1000	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20
2-butoxyethanol	Soluble	Method not given	20
alkyl alcohol alkoxylate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not determined

Viscosity: Not determined

**Explosive properties:** Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Weight of evidence

Substance data, dissociation constant, if available:

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

Reacts with acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Mixture data:

# Relevant calculated ATE(s):

Substance data, where relevant and available, are listed below.

# Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
2-aminoethanol	LD 50	1515	Rat	OECD 401 (EU B.1)	-
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given	
2-butoxyethanol	LD 50	1746	Rat	Method not given	-
alkyl alcohol alkoxylate		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
2-aminoethanol	LD 50	1025	Rabbit	Method not given	-
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given	
2-butoxyethanol	LD 50	6411		Method not given	-
alkyl alcohol alkoxylate		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
2-aminoethanol		No mortality observed	Rat	Non guideline test	6
sodium cumenesulphonate		No data available			
2-butoxyethanol	LC 50	> 2 (mist)	Rat	Method not given	4
alkyl alcohol alkoxylate		No data available			

# Irritation and corrosivity Skin irritation and corrosivity

Chair irritation and correctivity				
Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-butoxyethanol	Irritant	Rabbit	Method not given	
alkyl alcohol alkoxylate	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol alkoxylate	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

#### Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch	
D	7144		test	

2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	-
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	-
alkyl alcohol alkoxylate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	No data available			-
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			-
alkyl alcohol alkoxylate	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	test results	OECD 474 (EU B.12)
sodium cumenesulphonate	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkyl alcohol alkoxylate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
2-butoxyethanol	No evidence for carcinogenicity, negative test results
alkyl alcohol alkoxylate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		
2-butoxyethanol			No data available				
alkyl alcohol alkoxylate			No data available				

# Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
sodium cumenesulphonate	NOAEL	763	Rat	OECD 408 (EU B.26)		
2-butoxyethanol		No data available			-	
alkyl alcohol alkoxylate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol		No data available			-	
sodium cumenesulphonate		<b>Rage</b> ta8 / ′	4			

	available			
2-butoxyethanol	No data available		-	
alkyl alcohol alkoxylate	No data available			

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available			-	
alkyl alcohol alkoxylate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
2-aminoethanol			No data available					
sodium cumenesulphonate			No data available					
2-butoxyethanol			No data available					
alkyl alcohol alkoxylate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	No data available
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

STOT-repeated exposure

e re r repeated expectate	
Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	No data available
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

#### **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

**Potential adverse health effects and symptoms**Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below

# Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96
2-aminoethanol	LC 50	349	Cyprinus carpio	(EC) 440/2008, C.1	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS	96
2-butoxyethanol	LC 50	> 100	Fish	Method not given	96
alkyl alcohol alkoxylate		No data available			

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48
2-aminoethanol	EC 50	65	Daphnia magna Straus	OECD 202, static	48
sodium cumenesulphonate	EC 50	> 100	Daphnia magna Straus	OECD 202	48
2-butoxyethanol	EC 50	> 100	Daphnia magna Straus	Method not given	24
alkyl alcohol alkoxylate		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu	Method not given	0.25
			m phosphoreum		
2-aminoethanol	NOEC	1	Pseudokirchner iella subcapitata	OECD 201	72
sodium cumenesulphonate	EC 50	> 230	Not specified	US-EPA 1994	96
2-butoxyethanol	EC 50	> 100	Not specified	Method not given	168
alkyl alcohol alkoxylate		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			-
2-aminoethanol		No data available			-
sodium cumenesulphonate		No data available			-
2-butoxyethanol		No data available			-
alkyl alcohol alkoxylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
2-aminoethanol	EC 50	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
2-butoxyethanol	EC o	700	Pseudomonas putida	Method not given	16 hour(s)
alkyl alcohol alkoxylate		No data available			

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	1.2	Oryzias latipes	OECD 210	30 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	0.85	Daphnia magna	OECD 211	21 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
2-butoxyethanol		No data available			-	
alkyl alcohol alkoxylate		No data available				

Terrestrial toxicity
Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
2-butoxyethanol		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
2-butoxyethanol		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
2-butoxyethanol		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
2-butoxyethanol		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
2-butoxyethanol		No data available			-	

# 12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s) Half-life time Methopshe 11 / 1/4 Evaluation Remark
---

sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

#### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium cumenesulphonate		CO <sub>2</sub> production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
2-butoxyethanol			100 % in 28 day(s)	Method not given	Readily biodegradable
alkyl alcohol alkoxylate					No data available

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
2-butoxyethanol	0.81	OECD 107	No bioaccumulation expected	
alkyl alcohol alkoxylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
2-aminoethanol	No data available				
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				
alkyl alcohol alkoxylate	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol alkoxylate	No data available				

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Other adverse effects

No other adverse effects known.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 15\* - alkalines.

**Recommendation:** Dispose of observing national or local regulations. **Suitable cleaning agents:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information



ADR, RID, ADN, IMO/IMDG, ICAO/IATA

14.1 UN number: 1824

14.2 UN proper shipping name:
Sodium hydroxide solution

14.3 Transport hazard class(es):

Class: 8
Label(s): 8

14.4 Packing group: ||
14.5 Environmental hazards:
Environmentally hazardous: No
Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

#### Other relevant information:

**ADR** 

Classification code: C5
Tunnel restriction code: E
Hazard identification number: 80

Hazard identifica

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

### Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, soap

< 5%

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**MSDS code:** MSDS8102 **Version:** 03.0 **Revision:** 2015-04-05

#### Reason for revision:

Overall design adjusted in accordance with Amendment 453/2010, Annex II of Regulation (EC) No 1907/2006

### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the R, H and EUH phrases mentioned in section 3:

- · H290 May be corrosive to metals
- H302 Harmful if swallowed.
- · H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

- H319 Causes serious eye irritation.
  H332 Harmful if inhaled.
  H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- R20 Harmful by inhalation.
- R21 Harmful in contact with skin.
- R22 Harmful if swallowed.

- R34 Causes burns.
  R35 Causes severe burns.
  R36 Irritating to eyes.
  R37 Irritating to respiratory system.
- R38 Irritating to skin.

- Abbreviations and acronyms:

   AISE The international Association for Soaps, Detergents and Maintenance Products

   DNEL Derived No Effect Limit

   EUH CLP Specific hazard statement

   PBT Persistent, Bioaccumulative and Toxic

   PNEC Predicted No Effect Concentration

- REACH number REACH registration number, without supplier specific part
   vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

**End of Safety Data Sheet**