



## Carefree Speed Stripper

Revision: 2020-07-12

Version: 01.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Carefree Speed Stripper

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses:

For professional use only.

AISE-P404 - Floor stripper. Manual process

AISE-P405 - Floor stripper. Semi-automatic process

**Uses advised against:** Uses other than those identified are not recommended

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Corr. 1B (H314)

Eye Dam. 1 (H318)

Met. Corr. 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains 2-aminoethanol (Ethanalamine), sodium hydroxide (Sodium Hydroxide)

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

#### Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
2-butoxyethanol	203-905-0	111-76-2	01-2119475108-36	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		10-20
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
sodium cumenesulphonate	239-854-6	-	01-2119489411-37	Eye Irrit. 2 (H319)		3-10
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[11] Substance of Very High Concern (SVHC)

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

Causes severe burns.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.



**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up**

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
2-butoxyethanol	25 ppm 123 mg/m <sup>3</sup>	50 ppm 246 mg/m <sup>3</sup>
2-aminoethanol	1 ppm 2.5 mg/m <sup>3</sup>	3 ppm 7.6 mg/m <sup>3</sup>
sodium hydroxide		2 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	-	26.7	-	6.3
2-aminoethanol	-	-	-	3.75
sodium cumenesulphonate	No data available	No data available	No data available	3.8
sodium hydroxide	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-butoxyethanol	-	89	-	125
2-aminoethanol	No data available	-	No data available	1
sodium cumenesulphonate	No data available	No data available	No data available	7.6
sodium hydroxide	2 %	-	-	-



## Carefree Speed Stripper

## DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-butoxyethanol	-	89	-	75
2-aminoethanol	No data available	-	No data available	0.24
sodium cumenesulphonate	No data available	No data available	No data available	3.8
sodium hydroxide	2 %	-	-	-

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	246	1091	-	98
2-aminoethanol	-	-	3.3	No data available
sodium cumenesulphonate	No data available	No data available	No data available	53.6
sodium hydroxide	No data available	-	1	-

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	147	426	-	59
2-aminoethanol	-	-	2	No data available
sodium cumenesulphonate	No data available	No data available	No data available	13.2
sodium hydroxide	-	-	1	-

## Environmental exposure

## Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
2-butoxyethanol	8.8	0.88	9.1	463
2-aminoethanol	0.085	0.0085	0.025	100
sodium cumenesulphonate	0.23	0.023	2.3	100
sodium hydroxide	-	-	-	-

## Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
2-butoxyethanol	34.6	3.46	2.33	-
2-aminoethanol	0.434	0.0434	0.035	No data available
sodium cumenesulphonate	0.862	0.086	0.037	No data available
sodium hydroxide	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

## Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

## Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

## Personal protective equipment

## Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

## Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.  
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm  
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm  
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

## Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).



## Carefree Speed Stripper

**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (%):** 25

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.

**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:** No special requirements under normal use conditions

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear, Pale Colourless Straw	
<b>Odour:</b> Slightly perfumed	
<b>Odour threshold:</b> Not applicable	
<b>pH &gt; 11 (neat)</b>	ISO 4316
<b>Dilution pH: &gt; 11 (25 %)</b>	ISO 4316
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
2-butoxyethanol	168-172	Method not given	1013
2-aminoethanol	169-171	Method not given	1013
sodium cumenesulphonate	> 100	Method not given	
sodium hydroxide	> 990	Method not given	

	Method / remark
<b>Flammability (liquid):</b> Not flammable.	
<b>Flash point (°C):</b> > 60 °C	Weight of evidence
<b>Sustained combustion:</b> The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)	

**Evaporation rate:** Not relevant for classification of this product.

**Flammability (solid, gas):** Not applicable to liquids

**Upper/lower flammability limit (%):** Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
2-butoxyethanol	1.1	10.6
2-aminoethanol	3.4	27

	Method / remark
<b>Vapour pressure:</b> Not determined	See substance data

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
---------------	-------	--------	-------------

## Carefree Speed Stripper

	(Pa)		(°C)
2-butoxyethanol	89	Method not given	20
2-aminoethanol	50	Method not given	20
sodium cumenesulphonate	No data available		
sodium hydroxide	< 1330	Method not given	20

**Vapour density:** Not determined  
**Relative density:** ≈ 1.04 (20 °C)  
**Solubility in / Miscibility with Water:** Fully miscible

**Method / remark**  
 Not relevant to classification of this product  
 OECD 109 (EU A.3)

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
2-butoxyethanol	Soluble	Method not given	20
2-aminoethanol	1000	Method not given	20
sodium cumenesulphonate	Soluble		
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Autoignition temperature:** 999  
**Decomposition temperature:** Not applicable.  
**Viscosity:** Not determined  
**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.  
**Oxidising properties:** Not oxidising.

**Method / remark**

#### 9.2 Other information

**Surface tension (N/m):** Not determined  
**Corrosion to metals:** Corrosive

OECD 115  
 Weight of evidence

Substance data, dissociation constant, if available:

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000  
 ATE - Dermal (mg/kg): >2000  
 ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:

**Acute toxicity**  
 Acute oral toxicity



## Carefree Speed Stripper

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD <sub>50</sub>	1746	Rat	Method not given	
2-aminoethanol	LD <sub>50</sub>	1089	Rat	OECD 401 (EU B.1)	
sodium cumenesulphonate	LD <sub>50</sub>	> 7000	Rat	Method not given	
sodium hydroxide		No data available			

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD <sub>50</sub>	6411		Method not given	
2-aminoethanol	LD <sub>50</sub>	2504	Rabbit	Method not given	
sodium cumenesulphonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	
sodium hydroxide	LD <sub>50</sub>	1350	Rabbit	Method not given	

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 2 (mist) No mortality observed	Rat	Method not given	4
2-aminoethanol	LC <sub>50</sub>	> 1.4 No mortality observed	Rat	Method not given	4
sodium cumenesulphonate	LC <sub>50</sub>	> 770	Rat	Method not given	4
sodium hydroxide		No data available			

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
sodium cumenesulphonate	No data available			
sodium hydroxide	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch test	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			
sodium cumenesulphonate	No data available			
sodium hydroxide	No data available			



## Carefree Speed Stripper

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

## Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline test		
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
sodium cumenesulphonate	NOAEL	763 - 3534		OECD 408 (EU B.26)	90	
sodium hydroxide		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate	NOAEL	440	Mouse	Method not given	90	
sodium hydroxide		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
sodium hydroxide		No data				



		available			
--	--	-----------	--	--	--

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					
2-aminoethanol			No data available					
sodium cumenesulphonate	Dermal	NOAEL	727	Mouse	Method not given	24 month(s)		
sodium hydroxide			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	Respiratory tract
sodium cumenesulphonate	No data available
sodium hydroxide	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	No data available
sodium hydroxide	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 100	<i>Oncorhynchus mykiss</i>	OECD 203, static	96
2-aminoethanol	LC <sub>50</sub>	349	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sodium cumenesulphonate	LC <sub>50</sub>	> 1000	<i>Fish</i>	EPA-OPPTS 850.1075	96
sodium hydroxide	LC <sub>50</sub>	35	<i>Various species</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
2-aminoethanol	EC <sub>50</sub>	65	<i>Daphnia magna</i> Straus	OECD 202, static	48
sodium cumenesulphonate	EC <sub>50</sub>	> 1000	<i>Daphnia</i>	EPA-OPPTS 850.1010	48
sodium hydroxide	EC <sub>50</sub>	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
2-aminoethanol	EC <sub>50</sub>	22		OECD 201 (EU C.3)	72



## Carefree Speed Stripper

sodium cumenesulphonate	E <sub>r</sub> C <sub>50</sub>	310	Not specified		72
sodium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			-
2-aminoethanol		No data available			-
sodium cumenesulphonate		No data available			-
sodium hydroxide		No data available			-

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC <sub>0</sub>	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
2-aminoethanol	EC <sub>50</sub>	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	E <sub>r</sub> C <sub>50</sub>	> 1000	Bacteria	OECD 209	3 hour(s)
sodium hydroxide		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
sodium cumenesulphonate		No data available				
sodium hydroxide		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
sodium cumenesulphonate		No data available				
sodium hydroxide		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
sodium hydroxide		No data available			-	

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
sodium hydroxide		No data available			-	



## Carefree Speed Stripper

		available				
--	--	-----------	--	--	--	--

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
sodium cumenesulphonate		No data available			-	
sodium hydroxide		No data available			-	

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
2-butoxyethanol		CO <sub>2</sub> production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium cumenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	100 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic)

## Carefree Speed Stripper

					(substance)
--	--	--	--	--	-------------

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	Low potential for bioaccumulation	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
2-aminoethanol	No data available				
sodium cumenesulphonate	No data available				
sodium hydroxide	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
sodium hydroxide	No data available				Mobile in soil

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

### 12.6 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 15\* - alkalines.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

## SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1760

14.2 UN proper shipping name:

Corrosive liquid, n.o.s. ( sodium hydroxide , ethanolamine )

14.3 Transport hazard class(es):



## Carefree Speed Stripper

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C9

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: PY1W-F0MM-600J-JK7H

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

SDS code: MS1004431

Version: 01.1

Revision: 2020-07-12

Reason for revision:

This data sheet contains changes from the previous version in section(s); 9, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet